ISO 9001 2008

足踏式封口機系列 Foot Sealers

Impulse Type:

- P, OPP, PVC, POF材質
- Impulse sealing Plug-in Timer Easy operate Round element for seal & cut



Foot Operated Impulse Sealer: 0.8/2.7/5mm

- * Impulse sealing with electronic control.
- Can be installed Imprinter.
- * Sealing width: 10mm available.



WN-300 WN-450 WN-600 WN-750 WN-900

Foot Operated Impulse Sealer: 0.8/2.7/5mm

- * Impulse sealing with electronic control.
 * Can be installed Imprinter.



*適用冷凍、水產、粉狀封口

Double-sided Sealing Sealer: 5mm 上下雙線

- * Impulse sealing with electronic Timer control.
- Can be selected double-sided sealing or single-sided sealing.
- Can be installed the Imprinter.

* Date Coder.

WN-305T WN-455T WN-605T WN-755T

Side Type Sealer: 0.8/2.7/5mm

- * Impulse sealing with electronic control.

 * Suitable for sealing the irregular bags, or for sealing whole roll of film.



*不能加裝日期機

Round Type Sealer: 0.32mm

- * Impulse sealing with electronic control.
 * Suitable for round shape sealing.
- Can be matched with Shrink Tunnel.



*不能加裝日期機

Adjustable Working Plateform: 5mm

- Impulse sealing with electronic control.
- Working Table can be adjusted.
- * Suit for Heavier Packaging bags.



WN-300a WN-450a WN-600a WN-750a

*適用米袋包裝

Twin Sealing Sealer: bottom: 5mm & 0.8mm

- mpulse sealing with electronic control.
- From back to seal the opening.
- * Bottom has 2 elements: 5mm for sealing, 0.8mm for cut



WN-300BT WN-450BT WN-600BT

*適用尿布,衛生紙包裝

Foot Type with Cutter

- Impulse sealing with electronic control.



WN-300BC WN-450BC WN-600BC WNR-300BC WNR-450BC WNR-600BC

Vertical Sealing Sealer

- * Impulse sealing with electronic control.



WNV-300 WNV-450 WNV-600 WNV-305T WNV-455T

直熱式:須預熱,適用鋁箔、錫箔袋、KOP袋…可加裝日期機 Foot Type Constant Heat Sealer

• Direct Heat • Foot Type • Thermostat control • Need warm up • Sealing Jaw: 6mm-15mm

Constant Heat Sealer

- * Constant heat sealing with Thermo-controller.
 * Can be installed Imprinter.



W-220D W-250D W-300D W-450D

Vertical Sealing for pouch bags

- * Constant heat sealing with Thermo-controller.
- * Suitable for liquid and powder packing.
- * Can be installed Imprinter.



WV-250D WV-300D WV-450D



ISO 9001 2008


Auto Sealer Series

- 瞬熱式, 適用PE, PP, OPP, PVC, POF材質
- Impulse Sealing Auto control Power-saving Easy operate Foot Switch control Plastic Bags



Auto/Foot Switch Control Impulse Sealer

- * Electromagnet Control:
- * Auto Impulse Sealing with electronic control.
- * Suitable for large packaging controlled by 3 timers.
- * 5mm /10mm of sealing width can be ordered.
- * Imprinter can be installed.



WN-300A WN-450A WN-600A WN-755AA WN-900AA WN-1200AAA WN-1500AAA

Auto Sealer

- * Controlled by Electromagnet & Foot Switch.
- * Auto Impulse Sealing with electronic control.
- * Suitable for large packaging controlled by 2 timers.
- mm /10mm of sealing width can be ordered.

* Imprinter can be installed.



WNS-300 WNS-450 WNS-600 WNS-750 WNS-900 WNS-305T **WNS-455T** WNS-605T

Air Control Sealer

- * Controlled by Cylinder & Foot Switch.
- * Suitable for Foot Type Impulse and Constant Heat Sealer.



WNC-300 WNC-450 WNC-600 WNC-750 WNC-900 WNC-305T WNC-455T WNC-605T WNC-755T

Vertical Sealing Sealer

- * Suitable for Pouch Bags. (powder & liquid)
 * Can add a Cylinder and Electromagnet.
- * For Foot Type Impulse and Constant Heat Sealer.

WVC-300N WVS-300N WVC-450N WVS-450N WVC-305T WVS-305T WVC-455T WVS-455T



Vertical Sealing Sealer

- * Controlled by Cylinder & Foot Switch.
- * Suitable for Pouch Bags (powder & liguid)

WV2S-305T WV2S-455T WV2S-605T



Electromagnet control Impulse Sealer with Cutter

- * ideal for: PE, PP, OPP, PVC... * Power saving
 * The sliding knife may be used to trim a pre-made bag or to make bag from poly tubing.
- sealing width: 2mm ~5mm
- * Easy to operate: Press down the Handle, the upper bar will be sucked by 2 electromagnets.

After sealing & congealing(cool) times up Slide the knife to cut the bag edge or tube film. Press the release button

to lift the sealing bar



直熱式, 須預熱, 適用鋁箔, 錫箔袋, KOP袋…

Electromagnet Control
 Need warm up
 Sealing Jaw 6-15mm
 Gusset Alum. Foil Bags
 Controlled by the highest accuracy electronic Thermo-Controller (EGO), Timer, and Electromagnet









ISO 9001 2008

Shrink Packing System

- ●L-Bar Sealer: 手壓L型封口機, 可封切各式收縮膜配合收縮膜機, 亦可利用熱風槍做簡易收縮.
- All metal construction Plug-in Timer Easy to operate



Deluxe L Bar Sealer

- * Impulse sealing with plug-in electronic timer.
- * Sealer has a 0.32mm cut element for cut & seal. (upside)
- * Film roller w/separator & perforator is included & mounts to L-Bar sealer. ealing Table can be adjusted up & down.
- * Film Roller can be adjusted in & out.
- * Built-in electrical outlet for Heat Gun. (optional)
- * Stand available upon request. * Electromagnet available upon request.



W-350L (14"*20") W-500L (20"*25.6") W-650L (25.6"*23.6")

Separate L Bar Sealer

- * Impulse sealing with plug-in electronic timer.
- * Sealer has a 0.32mm cut element for cut & seal. (upside)
- * Film roller w/separator & perforator is included & mounts to L-Bar sealer.
- * Built-in electrical outlet for Heat Gun. (optional)



Bar Sealer with Perforator Unit/Heat Gun

- * Impulse sealing with plug-in electronic timer.
- * Sealer comes with round element for cut & seal.
- * Equipped with film roller and film separator & Perforator.
- ealer has a heat gun holder that positions heat gun for proper cooling.
- * Built-in electrical outlet for heat gun.
- * Heat Gun & Shrink Film sold separately

WS-300I WS-450I WS-600I WS-750I WS-900I



Bar Sealer with Heat Gun

- * Impulse sealing with plug-in electronic timer.
- * Sealer comes with round element for cut & seal.
- * Equipped with film roller and film separator.
- ealer has a heat gun holder that positions heat gun for proper cooling.
- * Built-in electrical outlet for heat gun.
- * Heat Gun & Shrink Film sold separately.

W-300I W-450I W-600I W-750I W-900I



Power: 1Phase 220 V

Packing Height: 10mm - 120mm Sealing range: 500L *450W (mm)

Dimension: 1500L *860W *1400H (mm)



L Sealing M/C 11300 CHL-5050B CHL-6060B

444

CHL-4550A

收縮膜機 Shrink Packing Machine Applications: Food, Fruits, Salted Foods, Toy, Stationery, Drugs, Electric Parts, Hardware, Necessares···etc.

CN-3515A (700L *350W*150H mm)

CN-4520A (800L*600W*200H (mm)

CN-4520AL (1000L *400W*200H mm)



Power: 1Phase 220V/6KW Tunnel: 800L*600W*200H (mm) Dimension: 1350L *700W *1100H (mm)

CN-4520P CN-6530P CN-8540P

- * Suitable for PVC, PP Films.
- Speed: 7.5M/min.
- * Need warm up:10min.



Power: 3 Phase 220/380V/ 15KW Tunnel: 1200L *600W*300H (mm) Dimension: 1600L *860W *1400H (mm)



吸嘴式外抽式抽氣封口機 NOZZLE Type Vacuum Sealer Series

CERTIFIED SOIL

This Vacuum Sealer comes standard with a vacuum pump inside and a retractable Nozzle system made of stainless steel. This machine offers an easier packaging and greater sustained vacuum flow. Easy to open its Body for maintenance. No need tools. It comes with an intelligent Control Panel that has 20 programs and flushing, count functions.

- Pneumatically Operated
 Nozzle Type
 Pump Inside
- Vacuum sealing / sealing, variety sealing Sealing width: 5mm, 10mm

Vacuum time	0 - 99 sec.
Sealing time	0 - 3.0 sec.
Cooling time	0 - 10 sec.





Deluxe Nozzle Type Vacuum Sealer
It is made by metal construction with electrostatic painted or stainless steel.

- * Stable Body. * Adjustable working table.
- * Warning device for sealing wire interrupting electricity.
- * Protecting device for sealing bar when over temp.



Stainless-Steel Nozzle Type Vacuum Sealer Machine special for 8",12" of Wafer in Clean room.

- * Warning device for sealing wire interrupting electricity.
- * Protecting device for sealing bar when over temp.
- Alum. Made sealing bar easier to be dismounted.

* Adjustable working table.



LVV-6510T LVV-8510T *無塵室專用機



Extra Long Nozzle Type Vacuum Sealer

It is made by metal construction with electrostatic painted. Or Stainless steel. Suitable for Heavier & bigger size

rtical Sealing.

Sealing bar can be adjusted up & down.

* Warning device for sealing bar when over temp.

LMV-6010T LMV-7510T LMV-9010T LMV-10010T



Stainless-Steel Nozzle Type Vacuum Sealer

- Suitable for extra long & heavier size packing.
- * Warning device for sealing wire interrupting electricity.
- * Protecting device for sealing bar when over temp. 4 nozzles.



*Dry & solid goods only

*No including air control unit. *Design for your request. *一切規格以實物為準

Can be installed:

- * Nitrogen flushing equipment
- * Date coder.
- * Vacuum gauge.
- Vacuum sensor.
- * 可加裝充氮設備 * 可加裝日期印字機。
- * 可加裝真空壓力表。
- *可選購真空 Sensor。



Gas Flushing









Sealers & Vacuum Sealer & Sealing Machine

ISO 9001 2008




















圓方圓興業股份有限公司 WU-HSING ELECTRONICS CO., LTD.

http://www.wuhsing.com

E-mail: sealer@wuhsing.com.tw wuhsing@ms17.hinet.net

41154 台中市太平區大里工業區15路10號 No.10, 15th Road, Dali Industrial Park, Taiping Dist., Taichung City 41154, Taiwan. TEL: 886-4-22711498 FAX: 886-4-22712806






Out of Chamber Vacuum Sealer Series


Vacuum sealer comes standard with a vacuum pump inside and offers an easier packaging and great sustained vacuum flow. No need Nozzle to vacuum the air from the bag. It is made by metal construction with electrostatic painted will offer you many years of good service. It needs Gusset bags & Channelled Bags.

Non Nozzle
 Pump Inside
 Easy to Operate
 Gusset / Channelled Bags only
 Sealing width: 5mm

Dry & solid goods only





















In- Chamber type Vacuum Packing: 槽式真空封口機 - 有包裝物尺寸限制 Size Limited

Chamber Type

Applications: Frozen food, fish, prepared food, meat, soaked food, herbs, tea leaves, hardware parts & accessories and electronic products...etc. Oil-less pump: ideal for dry & solid products. 乾式幫浦-乾且固體物,如茶葉、香菇乾

Oil-filling pump: ideal for liquid or powder products. but, need to clean its filter & add on pump oil. 油式幫浦-醬料類、醃漬物、肉排、漢堡、香料












日期標示機 Date Imprinter







Auto Type: 電動式

- 1-3 lines letter 3
- 35mm of film foil 色帶寬:35mm 可印泡殼盒及紙盒



Coffee Valve Mounting Machine 咖啡袋氣閥機 ldeal for coffee bags. Air can be out, no in. * Enhance the value of bags. AA-02 AA-03

連續式封口機 **Band Sealer**

Medical Pouch Band Sealer

- * Rotary band sealer
- * Constant heat
- * Warm up time:10 min



Band Sealer 桌上型連續式封口機

- speed: 1-10M/min mm (PE) 10mm (Nylon, Alum.)
- *Conveyor width: 200mm.
 * adjustable Conveyor height: 50mm around 40mm
 * Loading weight per pkg: <2 KG
- *Optional :1.Counter 2.Solid Ink Coder



Band Sealer - Floor Type

*Speed: 8M/min. or 1-10M/per min.
Sealing width: 5mm (PE) 10mm (Alum.)
*Width of Conveyor: 200mm
*Adjustable height of Conveyor: 500mm (905)
*Loading weight per pkg: <5kg (901) 10kg (905)
*Optional:1.Counter 2.Solid Ink Coder



Germany made 德國進口

From Germany 德製手提瞬熱封口機 **Hand Held Impulse Sealer**

- dth: 3mm (上下雙線)
- deal for larger size of PE bag sealing.
- * Impulse sealing (double-sides sealing).



From Germany 德製手提鋁箔封口機 **Hand Held Constant Heat Sealer**

- idth: 12mm
- deal for bigger size of alum. Foil film sealing.
- * Teflon coated.
- * Need warm up



Taiwan Product

《外線殺菌庫-菜刀

UV Lamp for Bacteria killing

- Rust- proof body of stainless steel.
- Its effectiveness is stronger than the sun light.
- * UV glass-sanitary & security.





C-10 (7 knives)

Japan made

Hand Wrapper

- * Faster and pleasant packing.
 * Can save 30% of Film using.

B-450 (film inside)



Ultrasonic Welder

- no staples, heater, glue, no dropping, ecurity and san
- Compact & easy operate
- * Ideal for PS PET box.



Nozzle Type Vacuum Sealer HIPPO ASV-320

- 00V-240V can be used.
- One touch switch.
- * Ideal for liquid or powder. * Appends a filter cup.





手壓式封口機系列 **Hand** Sealers

- 操作及維修簡易,適用於工廠和家庭。
- Impulse sealing Plug-in Timer Easy operate
- Compact -Hand carry
 Plastic materials



Deluxe Hand Type Impulse Sealer

- * Impulse sealing with electronic control.
- * 5mm available upon request.



PAT No. 044918 (USA)

W-200H W-300H

Hand Type Impulse Sealer

- * Impulse sealing with plug-in Timer control.
- * 5mm available upon request.



WO-100H WO-200H WO-300H WO-400H WO-500H

Extra Long Hand Type Impulse Sealer: 2.7/5mm

- Impulse sealing with electronic control.
 Can be applied for flat heating wire as sealing, or round wire as cutting.
- * Sealing width: 2mm to 5mm.
- Cutter and 10mm available upon request.



WN-450H WN-600H

WN-750H

WN-900H

WN-1000H

WN-1300H

Hand Type Impulse Sealer with Cutter

- * Impulse sealing with plug-in Timer control.
- * Sliding Cutter.
- * 5mm available upon request.



WK-200HC WK-300HC WK-400HC WK-500HC

Stainless Hand Type Impulse Sealer: 5mm

- se sealing with electronic control.
- Can be operated either on the table, or hanging
- on the wall served as vertical sealing.

 * Suitable for powder and liquid sealing.

 * Water proof:: Stainless steel made.
- * Sealing width: 2mm to 5mm.



PAT No. 132040 TW 6047522 USA

> Z-200DX Z-300DX

Hand-press Impulse Sealer: 5mm /10mm

- Double-sides sealing.
 Special cam design minimizing the effort of the
- Operator while providing a large pressure.
- Suitable for precisely sealing bags of various thickness as well as alum. foil bags.
- Can be installed imprinter.



Hand Type Impulse Sealer with Cutter

- mpulse sealing with electronic control.
 Sealing width: 2mm.
- * Appends a sliding cutter.



手提式封口機 Portable Sealer

• Hand held • Easy operate • Need warm up ●須預熱







